

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	234	709/229,203.ccls. and (divert\$3 redirect\$3) same server same request	USPAT	OR	ON	2005/09/26 20:09
L2	30	709/229,203.ccls. and ((divert\$3 redirect\$3) same server same request).ab.	USPAT	OR	ON	2005/09/26 20:09
L3	1	709/229,203.ccls. and ((divert\$3 redirect\$3) same (server proxy provider) same request).ti.	USPAT	OR	ON	2005/09/26 20:09
L4	49	709/229,203.ccls. and ((divert\$3 redirect\$3) same (server proxy provider) same request) and (compar\$4 match\$3 check\$3) near4 (ip address ID)	USPAT	OR	ON	2005/09/26 20:09
L5	127	"709"/\$.ccls. and ((divert\$3 redirect\$3) same (gateway bridge server proxy provider) same request) and (compar\$4 match\$3 check\$3) near3 (ip address ID)	USPAT	OR	ON	2005/09/26 20:09
L6	0	"709"/\$.ccls. and ((divert\$3 redirect\$3) same (gateway bridge server proxy provider) same request) and (compar\$4 match\$3 check\$3) near3 (ip address ID)	EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:09
L7	4	((divert\$3 redirect\$3) same (gateway bridge server proxy provider) same request) and (compar\$4 match\$3 check\$3) near3 (ip address ID)	EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:09
L8	1	((divert\$3 redirect\$3) same (gateway bridge server proxy provider) same request) and (compar\$4 match\$3 check\$3) near3 (ip address ID)).ab.	US-PGPUB	OR	ON	2005/09/26 20:09
L9	0	((divert\$3 redirect\$3) same (gateway bridge server proxy provider) same request) and (compar\$4 match\$3 check\$3) near3 (ip address ID)).ti.	US-PGPUB	OR	ON	2005/09/26 20:09
L10	549	((divert\$3 redirect\$3) same (gateway bridge server proxy provider) same request) and (compar\$4 match\$3 check\$3) near3 (ip address ID)	US-PGPUB	OR	ON	2005/09/26 20:09
L11	586	((divert\$3 redirect\$3) same (gateway bridge server proxy provider) same request) and (map compar\$4 match\$3 check\$3) near2 (ip address ID)	US-PGPUB	OR	ON	2005/09/26 20:09

L12	3	((divert\$3 redirect\$3) same (gateway bridge server proxy provider) same request) and (map compar\$4 match\$3 check\$3) near2 (ip address ID)	EPO; DERWENT	OR	ON	2005/09/26 20:09
L13	242	((divert\$3 redirect\$3) same (gateway bridge server proxy provider) same request) and (map compar\$4 match\$3 check\$3) near2 (ip address ID)	USPAT; EPO	OR	ON	2005/09/26 20:09
L14	138	((divert\$3 redirect\$3) same (gateway bridge server proxy provider) same request) and (map compar\$4 match\$3 check\$3) near2 (ip address ID) and "709"/\$.ccls.	USPAT; EPO	OR	ON	2005/09/26 20:09
L15	11	html adj post	USPAT	OR	ON	2005/09/26 20:09
L16	11	HTML adj POST	USPAT	OR	ON	2005/09/26 20:09
L17	0	cluster near3 security and html and server and client	USPAT	OR	ON	2005/09/26 20:09
L18	31	cluster near3 security	USPAT	OR	ON	2005/09/26 20:09
L19	8	cluster near3 security and "709"/\$.ccls.	USPAT	OR	ON	2005/09/26 20:09
L20	4	cluster near security and "709"/\$.ccls.	USPAT	OR	ON	2005/09/26 20:09
L21	16	cluster same request\$3 same security and "709"/\$.ccls.	USPAT	OR	ON	2005/09/26 20:09
L22	16	cluster same request\$3 same security and "709"/\$.ccls. not (cluster near3 security and "709"/\$.ccls.)	USPAT	OR	ON	2005/09/26 20:09
L23	0	(cluster same request\$3 same secur\$7).ab. and "709"/\$.ccls.	USPAT	OR	ON	2005/09/26 20:09
L24	37	(cluster same request\$3 same secur\$7) and "709"/\$.ccls.	USPAT	OR	ON	2005/09/26 20:09
L25	4	(cluster same request\$3 near3 secur\$7) and "709"/\$.ccls.	USPAT	OR	ON	2005/09/26 20:09
L26	551	(secur\$7 same request same message) and "709"/\$.ccls.	USPAT	OR	ON	2005/09/26 20:09
L27	5	(secur\$7 near request near message) and "709"/\$.ccls.	USPAT	OR	ON	2005/09/26 20:09
L28	0	(secur\$7 same request same message).ti. and "709"/\$.ccls.	USPAT	OR	ON	2005/09/26 20:09
L29	27	(secur\$7 same request same message).ab. and "709"/\$.ccls.	USPAT	OR	ON	2005/09/26 20:09

L30	0	(secur\$7 same request same message).ab. and "709"/\$.ccls. and cluster	USPAT	OR	ON	2005/09/26 20:09
L31	89	(secur\$7 same request same message) and "709"/\$.ccls. and cluster	USPAT	OR	ON	2005/09/26 20:09
L32	71	(secur\$7 same request same message same (resource service data)) and "709"/\$.ccls. and cluster	USPAT	OR	ON	2005/09/26 20:09
L33	0	(secur\$7 near3 request near3 message near3 (resource service data)) and "709"/\$.ccls. and cluster	USPAT	OR	ON	2005/09/26 20:09
L34	1	(secur\$7 near4 request near3 message near3 (resource service data)) and "709"/\$.ccls. and cluster	USPAT	OR	ON	2005/09/26 20:09
L35	1	(secur\$7 near7 request near7 message near3 (resource service data)) and "709"/\$.ccls. and cluster	USPAT	OR	ON	2005/09/26 20:09
L36	28	(secur\$7 same request same message near3 (resource service data)) and "709"/\$.ccls. and cluster	USPAT	OR	ON	2005/09/26 20:09
L37	16	(secur\$7 near7 request near7 message near3 (resource service data)) and "709"/\$.ccls.	USPAT	OR	ON	2005/09/26 20:09
L38	52	((divert\$3 redirect\$3) same (gateway bridge server proxy provider) same request) and (map compar\$4 match\$3 check\$3) near2 (ip address ID) and "709"/\$.ccls. and (secur\$5 same request)	USPAT; EPO	OR	ON	2005/09/26 20:09
L39	0	"709"/\$.ccls. same (secure\$5 encrypt\$4 safe) near (request\$3) near3 (service content data information)	USPAT	OR	ON	2005/09/26 20:09
L40	0	"709"/\$.ccls. same (secure\$5 encrypt\$4 safe) near7 (request\$3) near3 (service content data information)	USPAT	OR	ON	2005/09/26 20:09
L41	198	"709"/\$.ccls. and (secure\$5 encrypt\$4 safe) near7 (request\$3) near3 (service content data information)	USPAT	OR	ON	2005/09/26 20:09

L42	111	"709"/\$.ccls. and (secure\$5 encrypt\$4 safe) near3 (request\$3) near3 (service content data information)	USPAT	OR	ON	2005/09/26 20:09
L43	56	"709"/\$.ccls. and (secure\$5 encrypt\$4 safe) near3 (request\$3) near3 (service content data information) and (server proxy gateway) and (ip address) same (compare\$3 determin\$4)	USPAT	OR	ON	2005/09/26 20:09
L44	28	"709"/\$.ccls. and ((secure\$5 encrypt\$4 safe) near3 (communicat\$3 (request\$3))).ab. and (service content data information) and (server proxy gateway) and (ip address) same (compare\$3 determin\$4)	USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:09
L45	16	"709"/\$.ccls. and ((secure\$5 encrypt\$4 safe) near (communicat\$3 (request\$3))).ab. and (service content data information) and (server proxy gateway) and (ip address) same (compare\$3 determin\$4)	USPAT	OR	ON	2005/09/26 20:09
L46	2	"709"/\$.ccls. and ((secure\$5 near3 (request\$3))).ab. and (service content data information) and (server proxy gateway) and (ip address) same (compare\$3 determin\$4)	USPAT	OR	ON	2005/09/26 20:09
L47	5	"709"/\$.ccls. and ((secure\$5 near3 (request\$3))).ab.	USPAT	OR	ON	2005/09/26 20:09
L48	91	"709"/\$.ccls. and ((secure\$5 same (request\$3))).ab.	USPAT	OR	ON	2005/09/26 20:09
L49	1	"6067620".pn.	USPAT	OR	ON	2005/09/26 20:09
L50	49	("6018619" "6134588" "6240461" "6324582" "6449657" "5905872" "6098108" "6351775" "6532493" "5938737" "6263371" "6035281" "6119161" "5708780" "6470389" "6330605" "6424992" "6434608" "6014660" "6374300" "6389462" "6473802" "6119143" "6212565" "6212565" "5931912" "6233618" "6338117" "6128644" "6535509" "6247057" "6006264" "6449647" "6088805" "6205477" "5999971" "6026445" "6070187" "6661799" "6442696" "6456603" "5894479" "6085193" "6243761" "6249804" "6349326" "6408296" "5991810" "6282281" "6466570").pn.	USPAT	OR	ON	2005/09/26 20:09

L51	6	"709"/\$.ccls. and ((secure\$5 encrypt\$4 safe) near3 (communicat\$3 (request\$3))) same cluster	USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:09
L52	3	709/219,227,232,245.ccls. and ((secure\$5 encrypt\$4 safe) near3 (communicat\$3 (request\$3))) same cluster	USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:09
L53	23	709/219,227,232,245.ccls. and (secure\$5 encrypt\$4 safe) same cluster	USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:09
L54	18	709/219,227,232,245.ccls. and (secure\$5 encrypt\$4 safe) same cluster same servers	USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:09
L55	66834	"709"/\$.ccls. and (communicat\$3 (request\$3)).ab. (server proxy gateway) and (ip address)	USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:09
L56	49728	"709"/\$.ccls. and (communicat\$3 (request\$3)).ab. (server proxy gateway) and (ip address)	USPAT	OR	ON	2005/09/26 20:09
L57	46966	709/203.ccls. and (communicat\$3 (request\$3)).ab. (server proxy gateway) and (ip address)	USPAT	OR	ON	2005/09/26 20:09
L58	1124	709/203.ccls. and (communicat\$3 (request\$3)).ab. and (server proxy gateway) and (ip address)	USPAT	OR	ON	2005/09/26 20:09
L59	961	709/203.ccls. and (communicat\$3 (request\$3) and server).ab. and (server proxy gateway) and (ip address)	USPAT	OR	ON	2005/09/26 20:09
L60	138	709/203.ccls. and(communicat\$3 (request\$3) and server).ab. and (server proxy gateway) and (ip address) and redirect\$3	USPAT	OR	ON	2005/09/26 20:09
L61	73	709/203.ccls. and(communicat\$3 (request\$3) and server and redirect).ab. and (server proxy gateway) and (ip address) and redirect\$3	USPAT	OR	ON	2005/09/26 20:09
L62	68	709/203.ccls. and(communicat\$3 (request\$3) and server and redirect).ab. and (server proxy gateway) and (ip address) and redirect\$3 and (services resources)	USPAT	OR	ON	2005/09/26 20:09

L63	6861	709/203, "226".ccls. and(communicat\$3 (request\$3) and server and redirect).ab. and (server proxy gateway) and (ip address) and redirect\$3 and (services resources)	USPAT	OR	ON	2005/09/26 20:09
L64	89	709/203,226.ccls. and(communicat\$3 (request\$3) and server and redirect).ab. and (server proxy gateway) and (ip address) and redirect\$3 and (services resources)	USPAT	OR	ON	2005/09/26 20:09
L65	20695	(service content data information) and (server proxy gateway) and (ip address) same (compare\$3 determin\$4)	USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:09
L66	19176	(service content data information) and (server proxy gateway) and (ip address) same (compare\$3 determin\$4)	USPAT	OR	ON	2005/09/26 20:09
L67	43	((service content data information) and (server proxy gateway) and (ip adj address) same (compare\$3 determin\$4)).ab.	USPAT	OR	ON	2005/09/26 20:09
L68	29	((service content data information) and (server proxy gateway) and (ip adj address) same (compare\$3 determin\$4)).ab. and "709"/\$.ccls.	USPAT	OR	ON	2005/09/26 20:09
L69	1	"6718390".pn.	USPAT	OR	ON	2005/09/26 20:09
L70	30	((service content data information) and (server proxy gateway) and (ip adj address) same (compare\$3 determin\$4, check\$5)).ab. and "709"/\$.ccls.	USPAT	OR	ON	2005/09/26 20:09
L71	8	((service content data information) and (server proxy gateway) and (ip adj address) near4 (compare\$3 determin\$4, check\$5)).ab. and "709"/\$.ccls.	USPAT	OR	ON	2005/09/26 20:09
L72	1	(backup) near server and L67	USPAT	OR	ON	2005/09/26 20:09
L73	203	(backup) near server and L66	USPAT	OR	ON	2005/09/26 20:09
L74	100	(backup) near server and L66 and (compar\$4 check\$4 determin\$4) near5 (IP address)	USPAT	OR	ON	2005/09/26 20:09
L75	100	(backup) near server and L66 and ((compar\$4 check\$4 determin\$4) near5 (IP address))	USPAT	OR	ON	2005/09/26 20:09

L76	42	(backup) near server and L66 and ((compar\$4 check\$4 determin\$4) near5 (IP address)) and "709"/\$. ccls.	USPAT	OR	ON	2005/09/26 20:09
L77	727	server near (backup)	USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 20:09
L78	490	server near (backup)	USPAT	OR	ON	2005/09/26 20:09
L79	101	server near (backup) same (Ip address)	USPAT	OR	ON	2005/09/26 20:09
L80	97	server near (backup) same (Ip address) and (compar\$5 determin\$3 check\$5)	USPAT	OR	ON	2005/09/26 20:09